

----- POPULATION ESTIMATES -----				----- Long-Term Care -----		----- Local Health Departments -----		
Total 2000 Population 74,020				Community Options and MA Waiver Programs		Per 10,000		
Population per square mile 133						Staffing - FTE	Number	Population
County ranking in state ( 1-72) 18						Total staff	17	2.9
						Administrative	2	0.3
						Professional staff	11	1.8
						Technical/Paraprof.	2	0.3
						Support staff	2	0.4
						Funding		Per capita
						Total	\$887,913	\$14.68
						Local Taxes	\$566,668	\$9.37
						----- Licensed Establishments -----		
						Type	Capacity	Facilities
						Bed & Breakfast	41	12
						Camps	2,102	16
						Hotels, Motels	771	24
						Tourist Rooming	17	6
						Pools		26
						Restaurants		339
						Vending		4
						----- WIC Participants -----		
								Number
						Pregnant/Postpartum		700
						Infants		717
						Children, age 1-4		884
						Total		2,301
						----- Cancer Incidence -----		
								1999
						Primary Site		Number
						Breast		60
						Cervical		5
						Colorectal		33
						Trachea, Bronchus, Lung		48
						Prostate		46
						Other sites		133
						Total		325

Total 2000 Population 74,020			
Population per square mile 133			
County ranking in state ( 1-72) 18			
Age	Female	Male	Total
0-14	7,470	7,790	15,270
15-19	2,650	2,760	5,420
20-24	2,040	2,240	4,280
25-29	2,300	2,390	4,690
30-34	2,640	2,720	5,350
35-39	3,150	3,170	6,320
40-44	3,040	3,100	6,140
45-54	5,180	5,250	10,430
55-64	3,400	3,370	6,770
65-74	2,560	2,200	4,750
75-84	1,970	1,400	3,360
85+	900	340	1,240
Total	37,310	36,710	74,020
Age	Female	Male	Total
0-17	9,160	9,480	18,660
18-44	14,130	14,690	28,810
45-64	8,580	8,620	17,200
65+	5,430	3,940	9,350
Total	37,310	36,710	74,020
Poverty Estimates for 1997			
Estimate (C.I.+/-)			
All ages	3,785	888	
	5.3%	( 1%)	
Ages 0-17	1,318	355	
	6.9%	( 2%)	
----- Employment -----			
Average wage for jobs covered			
by unemployment compensation \$27,142			
Note: based on place of work			
Annual			
Labor Force Estimates Average			
Civilian Labor Force 43,022			
Number employed 41,843			
Number unemployed 1,179			
Unemployment rate 2.7%			

Community Options and MA Waiver Programs	
	Clients Costs
COP	72 \$262,124
MA Waiver *	
CIP1A	11 \$488,667
CIP1B	158 \$2,287,525
CIP2	88 \$1,081,412
COP-W	65 \$598,685
CSLA	29 \$130,327
Brain Injury	8 \$368,838
Total COP/Wvrs	366 \$5,217,577
\$256,355 of the above waiver costs were paid as local match/overmatch using COP funds. This amount is not included in above COP costs.	
* Waiver costs reported here include federal funding.	
	Clients costs
Eligible and Waiting	18 n/a
(Family Care not provided in county)	
Note: Eligible and waiting clients will be phased into the COP and MA Waivers as available.	
Home Health Agencies 3	
Patients	539
Patients per 10,000 pop.	73
Nursing Homes 8	
Licensed beds	840
Occupancy rate	84.0%
Residents on Dec.31	710
Residents age 65 or older per 1,000 population	41

## NATALITY

TOTAL LIVE BIRTHS			931	<b>Birth Order</b>		<b>Births</b>	<b>Percent</b>	<b>Marital Status of Mother</b>			<b>Births</b>	<b>Percent</b>
Crude Live Birth Rate			12.6	First		386	41	Married			707	76
General Fertility Rate			58.8	Second		311	33	Not married			224	24
				Third		152	16	Unknown			0	0
				Fourth or higher		82	9					
Live births with reported congenital anomalies			19	Unknown		0	0					
			. %									
				<b>First Prenatal Visit</b>		<b>Births</b>	<b>Percent</b>	<b>Education of Mother</b>			<b>Births</b>	<b>Percent</b>
<b>Delivery Type</b>	<b>Births</b>	<b>Percent</b>		1st trimester		807	87	Elementary or less			17	2
Vaginal after previous cesarean	20	2		2nd trimester		109	12	Some high school			100	11
Forceps	38	4		3rd trimester		12	1	High school			328	35
Other vaginal	681	73		No visits		3	<.5	Some college			246	26
Primary cesarean	112	12		Unknown		0	0	College graduate			240	26
Repeat cesarean	80	9						Unknown			0	0
Other or unknown	0	0										
				<b>Number of Prenatal Care visits</b>		<b>Births</b>	<b>Percent</b>	<b>Smoking Status of Mother</b>			<b>Births</b>	<b>Percent</b>
<b>Birthweight</b>	<b>Births</b>	<b>Percent</b>		No visits		3	<.5	Smoker			174	19
<1,500 gm	7	0.8		1-4		11	1	Nonsmoker			757	81
1,500-2,499 gm	38	4.1		5-9		141	15	Unknown			0	0
2,500+ gm	886	95.2		10-12		470	50					
Unknown	0	0		13+		305	33					
				Unknown		1	<.5					

<b>Race of Mother</b>	<b>Births</b>	<b>Percent</b>	<b>Low Birthweight (under 2,500 gm)</b>		<b>Trimester of First Prenatal Visit</b>					
			<b>Births</b>	<b>Percent</b>	<b>1st Trimester</b>		<b>2nd Trimester</b>		<b>Other/Unknown</b>	
White	912	98	44	4.8	790	87	107	12	15	2
Black	1	<.5	*	.	*	.	*	.	*	.
Other	18	2	1	5.6	16	89	2	11	.	.
Unknown	0	0	.	.	.	.	.	.	.	.

<b>Age of Mother</b>	<b>Fertility</b>		<b>Low Birthweight (under 2,500 gm)</b>		<b>Trimester of First Prenatal Visit</b>					
	<b>Births</b>	<b>Rate</b>	<b>Births</b>	<b>Percent</b>	<b>1st Trimester</b>		<b>2nd Trimester</b>		<b>Other/Unknown</b>	
<15	1	--	*	.	*	.	*	.	*	.
15-17	23	14	2	8.7	15	65	6	26	2	9
18-19	55	57	2	3.6	46	84	7	13	2	4
20-24	196	96	11	5.6	158	81	32	16	6	3
25-29	304	132	23	7.6	267	88	35	12	2	1
30-34	264	100	6	2.3	243	92	19	7	2	1
35-39	77	24	.	.	68	88	9	12	.	.
40+	11	.	.	.	10	91	1	9	.	.
Unknown	0	--	.	.	.	.	.	.	.	.

**Teenage Births**

79 30

\* Not reported: age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

<u>Disease</u>	<u>Number</u>
Campylobacter Enteritis	14
Giardiasis	16
Hepatitis Type A	0
Hepatitis Type B**	<5
Hepatitis NANB/C	12
Legionnaire's	<5
Lyme	0
Measles	***
Meningitis, Aseptic	<5
Meningitis, Bacterial	<5
Mumps	***
Pertussis	***
Salmonellosis	6
Shigellosis	<5
Tuberculosis	<5

\* 2000 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	59
Genital Herpes	14
Gonorrhea	9
Syphilis	0

## ----- IMMUNIZATIONS -----

Children in Grades K-12 by Compliance Level

Compliant	15,338
Non-compliant	157
Percent Compliant	99.0

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	608
Crude Death Rate	821

<u>Age</u>	<u>Deaths</u>	<u>Rate</u>
1-4	.	.
5-14	1	.
15-19	4	.
20-34	13	.
35-54	53	232
55-64	56	827
65-74	104	2,189
75-84	190	5,645
85+	184	14,827

Infant

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Infant	3	.
Neonatal	3	.
Postneonatal	.	.
Unknown	.	.

Race of Mother

White	3	.
Black	.	.
Other	.	.
Unknown	.	.

Birthweight

<1,500 gm	2	.
1,500-2,499 gm	.	.
2,500+ gm	1	.
Unknown	.	.

Perinatal

<u>Mortality</u>	<u>Deaths</u>	<u>Rate</u>
Total Perinatal	5	.
Neonatal	3	.
Fetal	2	.

Selected

<u>Underlying Cause</u>	<u>Deaths</u>	<u>Rate</u>
Heart Disease (total)	187	253
Ischemic heart disease	143	193
Cancer (total)	150	203
Trachea/Bronchus/Lung	38	51
Colorectal	16	.
Female Breast	10	.*
Cerebrovascular Disease	47	63
Lower Resp. Disease	26	35
Pneumonia & Influenza	18	.
Accidents	31	42
Motor vehicle	18	.
Diabetes	17	.
Infectious & Parasitic	14	.
Suicide	7	.

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	5	.
Other Drugs	6	.
Both Mentioned	2	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

<u>Type of Motor Vehicle Crash</u>	<u>Persons Injured</u>	<u>Persons Killed</u>
Total Crashes	775	20
Alcohol-Related	72	9
With Citation:		
For OWI	36	0
For Speeding	111	1
Motorcyclist	36	1
Bicyclist	12	0
Pedestrian	15	0

## ----- HOSPITALIZATIONS -----

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>					
Total	681	9.2	4.5	\$12,441	\$114
<18	60	3.2	2.8	\$8,624	\$28
18-44	170	5.9	3.4	\$11,131	\$66
45-64	133	7.7	5.7	\$17,127	\$132
65+	318	34.0	4.9	\$11,902	\$404
<b>Injury: Hip Fracture</b>					
Total	107	1.4	5.5	\$14,410	\$21
65+	100	10.7	5.5	\$14,438	\$154
<b>Injury: Poisonings</b>					
Total	44	0.6	1.6	\$3,315	\$2
18-44	21	0.7	1.2	\$3,050	\$2
<b>Psychiatric</b>					
Total	363	4.9	11.5	\$9,553	\$47
<18	67	3.6	20.0	\$15,937	\$57
18-44	186	6.5	8.4	\$6,872	\$44
45-64	59	3.4	11.3	\$9,694	\$33
65+	51	5.4	11.4	\$10,783	\$59
<b>Coronary Heart Disease</b>					
Total	449	6.1	3.9	\$17,634	\$107
45-64	127	7.4	2.9	\$16,944	\$125
65+	296	31.6	4.5	\$18,560	\$587
<b>Malignant Neoplasms (Cancers): All</b>					
Total	308	4.2	5.7	\$14,411	\$60
18-44	39	1.4	6.3	\$21,474	\$29
45-64	84	4.9	5.3	\$13,303	\$65
65+	181	19.3	5.6	\$12,963	\$251
<b>Neoplasms: Female Breast (rates for female population)</b>					
Total	32	0.9	1.9	\$5,807	\$5
<b>Neoplasms: Colo-rectal</b>					
Total	54	0.7	7.8	\$16,938	\$12
65+	32	3.4	8.5	\$17,288	\$59
<b>Neoplasms: Lung</b>					
Total	32	0.4	6.7	\$15,222	\$7
<b>Diabetes</b>					
Total	91	1.2	4.9	\$9,209	\$11
65+	33	3.5	5.3	\$8,344	\$29

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Alcohol-Related</b>					
Total	149	2.0	3.1	\$3,712	\$7
18-44	92	3.2	2.3	\$2,122	\$7
45-64	39	2.3	4.6	\$6,893	\$16
<b>Pneumonia and Influenza</b>					
Total	303	4.1	5.0	\$8,310	\$34
<18	44	2.4	2.7	\$3,993	\$9
45-64	63	3.7	4.8	\$9,661	\$35
65+	164	17.5	5.7	\$9,032	\$158
<b>Cerebrovascular Disease</b>					
Total	213	2.9	5.0	\$10,901	\$31
45-64	44	2.6	5.4	\$15,388	\$39
65+	164	17.5	4.9	\$9,808	\$172
<b>Chronic Obstructive Pulmonary Disease</b>					
Total	163	2.2	4.1	\$6,405	\$14
<18	26	1.4	2.0	\$2,483	\$3
18-44	16	.	.	.	.
45-64	36	2.1	3.5	\$6,007	\$13
65+	85	9.1	5.3	\$8,213	\$75
<b>Drug-Related</b>					
Total	31	0.4	3.9	\$3,297	\$1
18-44	17	.	.	.	.
<b>Total Hospitalizations</b>					
Total	8,213	111.0	4.0	\$8,785	\$975
<18	1,418	76.0	3.1	\$4,563	\$347
18-44	2,186	75.9	3.2	\$6,627	\$503
45-64	1,573	91.4	4.3	\$11,578	\$1,059
65+	3,036	324.4	4.8	\$10,863	\$3,524

## ----- PREVENTABLE HOSPITALIZATIONS\* -----

Total	1,076	14.5	4.0	\$6,910	\$100
<18	125	6.7	2.2	\$3,285	\$22
18-44	166	5.8	3.1	\$6,170	\$36
45-64	207	12.0	4.1	\$8,230	\$99
65+	578	61.8	4.6	\$7,433	\$459

\* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2000 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.